



## **SAFETY DATA SHEET INFORMATION**

## For further information: Please refer to the Safety Data Sheet following

Issue: May 17

PRODUCT: Hard Seal

Dangerous Goods Class:

N/R

N/R

Other Names: Industrial Coating

Subsidiary Risk: None

UN No.:

Industrial Proctective Coating

Packing Group: N/R
Hazchem Code: N/R

Signal Word: Warning

**Uses:** 

Poisons Schedule: 5

Hazardous Nature:	This product is classified as hazardous under the GHS criteria.		
Hazard Statement:	Combustible liquid		
GHS Classification:	Flammable Liquids: 4; Aspiration Toxicant: 1; Acute Toxicity - Oral: 2; Acute Toxicity - Inhalation: 2; Skin Corrosion/Irritation: 3		

Physical Characteristics (Typical)	Section 9 of the SDS
Appearance	Clear, pale yellow, mobile liquid
Boiling Point/Range (°C):	171 – 250
Flash Point (°C):	67
Specific Gravity/Density (g/ml @ 15°C):	1.11
pH:	Neutral
Chemical Stability:	Stable at room temperature and pressure
Reactivity:	Strong oxidising agents, excessive heat

Product Ingredients		Section 3 of the SDS		
Ingredient	CAS Number	<u>Proportion</u>		
Acrylic Copolymer solution	various	< 95		
Resin Solution	various	< 5		
Coalescent	various	< 4		

For further ingredients information, please refer to the full MSDS

### **GHS Pictograms**

**Section 2 of the SDS** 





### **DEFINITIONS**

Dangerous Goods	Products that are regulated for transport under the UN International guidelines are classified as Dangerous Goods. Products can be classified by their physical characteristics and may have only one Dangerous Goods designation, although may have a subsidiary risk. These products may be Dangerous Goods for transport by Air and Sea, but may not be classed as Dangerous Goods by Road and Rail in Australia. Refer to the Australian Code for Transport of Dangerous Goods by Road and Rail (ADG) for more information.
Hazardous Substances	Hazardous Substances are those products that are intrinsically hazardous by virtue of their chemical nature, rather than as a condition of their misuse. These hazards include mutagens, teratogens, carcinogens, and products that are harmful or irritant in nature. These products may or may not carry a Dangerous Goods classification.
Poisons	Poisons are products that are regulated by the dose or exposure, often having physical and chemical effects at certain concentrations particular to the nature of the product. The associated warnings, cautions and First Aid instruction are prescriptive under the regulation in Australia.



# 1. IDENTIFICATION

Product Name: Hard Seal

Other Names: Industrial Coating

Chemical Family: Water Based Sealer Not

Molecular Formula: Available

Recommended Use: Protective Coatings
Supplier: Con-Treat Pty Ltd.
35 123 222 328

Address: Unit 11, 80-82 Township Drv QLD 4220

**Telephone:** 1300 044 625

Fax:

Emergency Phone: 131 126

All other inquiries:

# 2. HAZARDS IDENTIFICATION

### **Hazard Nature**

This product is classified as hazardous under the GHS criteria.

#### **GHS Classification**

Flammable Liquids: 4; Aspiration Toxicant: 1; Acute Toxicity - Oral: 2; Acute Toxicity - Inhalation: 2; Skin

Corrosion/Irritation: 3 **GHS Pictograms** 





### **Hazard Statement**

Combustible liquid

### **Hazard Statements**

H227: Combustible liquid

H305: May be harmful if swallowed and enters airways

H302+332: Harmful if swallowed or if inhaled

H315+335: Causes skin and respiratory irritation

H336: May cause drowsiness or dizziness

#### **Precautionary Statements**

P102: Keep out of reach of children.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P262: Do not get in eyes, on skin, or on clothing.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+312+101: IF SWALLOWED: Call a POISON CENTER/doctor, if you feel unwell, and have product container or label at hand.

P333+313: If skin irritation or a rash occurs: Get medical advice/attention.

P501: Dispose of contents, or container in accordance with local/regional/national/international regulation.

### **Dangerous Goods Classification N/R**

Date of Issue: 5 May 2017 Emergency Number: 131 126 Page 2 of 7
Date of Review: January 2022



Poisons Schedule 5 Signal Word Warning

# 3. COMPOSITION: Information on Ingredients

Chemical Ingredient	CAS Number	Proportion (% v/v)	
Acrylic Copolymer solution	various	< 95	
Resin Solution	various	< 5	
Coalescent	various	< 4	

# 4. FIRST AID MEASURES

For advice, contact Poisons Information Centre (Phone Australia: 13 1126) or a doctor.

### Ingestion

If swallowed, DO NOT induce vomiting. Keep at rest. Seek immediate medical attention.

### **Eye Contact**

Flush eyes with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Seek immediate medical attention.

### **Skin Contact**

Flush area with large amounts of water and wash area with soap if available. Remove contaminated clothing, including shoes, and launder before reuse. Seek medical attention for skin irritations.

### Inhalation

Using proper respiratory protection, immediately remove the affective victim from exposure. Administer artificial respiration if breathing has stopped. Keep at rest. Seek immediate medical attention.

### **First Aid Facilities**

Provide eye baths and safety showers.

## **Medical Attention**

Treat according to symptoms. Avoid gastric lavage - aspiration of product to the lungs may result in chemical pneumonitis.

# 5. FIRE FIGHTING MEASURES

Shut off product that may 'fuel' a fire if safe to do so. Allow trained personnel to attend a fire in progress providing fire fighters with this Material Safety Data Sheet. Prevent extinguishing media from escaping to drains and waterways.

### **Suitable Extinguishing Media**

Alcohol resistant foam, or if unavailable, dry chemical or foam

## **Hazards from combustion products**

This product is combustible and likely to fuel a fire in progress.

### Precautions for fire fighters and special protective equipment

Full protective clothing and self-contained breathing apparatus

## **Hazchem Code**

N/R

# 6. ACCIDENTAL RELEASE MEASURES

### **Emergency Procedures**

Prevent product from escaping to drains and waterways. Contain leaking packaging in a containment drum. Prevent vapours or dusts from building up in confined areas. Ensure that drain valves are closed at all times. Clean up and report spills immediately.



### Methods and materials for containment

### Major Land Spill

- Eliminate sources of ignition.
- · Warn occupants of downwind areas of possible fire and explosion hazard, where present.
- · Prevent product from entering sewers, watercourses, or low-lying areas.
- Keep the public away from the area.
- · Shut off the source of the spill if possible and safe to do so.
- Advise authorities if substance has entered a watercourse or sewer or has contaminated soil or vegetation.
- Take measures to minimise the effect on the ground water.
- · Contain the spilled product using the resources in the spill kit.
- · Recover by pumping use explosion proof pump or hand pump or with a suitable absorbent material.
- · Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.
- See "First Aid Measures" and "Stability and Reactivity"

## Major Water Spill

- · Eliminate any sources of ignition.
- · Warn occupants and shipping in downwind areas of possible fire and explosion hazard, where present.
- Notify the port or relevant authority and keep the public away from the area.
- · Shut off the source of the spill if possible and safe to do so.
- · Confine the spill if possible.
- Remove the product from the surface by skimming or with suitable absorbent material.
- · Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.
- See "First Aid Measures" and "Stability and Reactivity".

## 7. HANDLING AND STORAGE

### **Precautions for Safe Handling**

This product is combustible. Do not open near open flame, sources of heat or ignition. No smoking. Keep container closed. Handle containers with care. Open slowly to control possible pressure release. Use grounding leads to avoid discharge (electrical spark).

### **Conditions for Safe Storage**

Store in a cool, dry place away from direct sunlight. Do not pressurise, cut, heat or weld containers - residual vapours are combustible. This product will fuel a fire in progress.

### **Incompatible Materials**

Natural rubbers, light-weight plastics - store only in original container

# 8. EXPOSURE CONTROLS: PERSONAL PROTECTION

## **National Exposure Standards**

The time weighted average concentration (TWA) for this product is: 350 mg/m³ (80 ppm), which means the highest allowable exposure concentration in an eight-hour day for a five-day working week. The short term exposure limit (STEL) is: 655 mg/m³ (150ppm), which is the maximum allowable exposure concentration at any time. Replacing a TWA or STEL value for some products is a Peak Limitation value (Peak): None applies in this case. In addition to the exposure concentrations may be a subsidiary caution in such cases where the product is a skin sensitiser, represented as (Sen), where Sk applies in this case.

## **Biological Limit Values (BLV)**

None specified

### **Engineering Controls: Ventilation**

The use of local exhaust ventilation is recommended to control process emissions near the source. Laboratory samples should be handled in a fume hood. Provide mechanical ventilation of confined spaces. Use explosion proof equipment.

### **Personal Protective Equipment**

**Respiratory Protection:** Where concentrations in air may approach or exceed the limits described in the National Exposure Standards, it is recommended to use a half-face filter mask to protect from overexposure by inhalation. A type 'A' filter material is considered suitable for this product.

Eye Protection: Always use safety glasses or a face shield when handling this product.

Date of Issue: 5 May 2017 Emergency Number: 131 126 Page 4 of 7
Date of Review: January 2022



## SAFETY DATA SHEET HARD SEAL

Skin/Body Protection: Always wear long sleeves, long trousers, or coveralls, and enclosed footwear or safety boots when handling this product. It is recommended that chemical resistant gloves be worn when handling this product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Property	Unit of measurement	Typical Value
Appearance	None	Clear, pale yellow, mobile liquid
Boiling Point/Range	°C	171 – 250
Flash Point	°C	67
SG/Density (@ 15°C)	g/ml; kgm <sup>-3</sup>	1.11
Vapour Pressure @ 20°C	kPa	No data available
Vapour Density @ 20°C	g/ml; kgm <sup>-3</sup>	No data available
Autoignition Temperature	°C	> 250
Explosive Limits in Air	% vol/vol	No data available
Viscosity @ 20°C	cPs, mPas	No data available
Percent volatiles	% vol/vol	> 90
Acidity/alkalinity as pH	None	Neutral
Solubility in Water	g/l	Partially miscible with water
Other solvents	-	Organic solvents

The values listed are indicative of this product's physical and chemical properties. For a full product specification, please consult the Technical Data Sheet.

# 10. STABILITY AND REACTIVIT

### **Chemical stability**

Stable at room temperature and pressure

### **Conditions to avoid**

Strong oxidising agents, excessive heat

### Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials.

#### **Hazardous reactions**

Strong oxidising agents, excessive heat, mineral acids, strong bases

### Hazardous polymerisation

Will not occur

# 11. TOXICOLOGICAL INFORMATION

### **Acute Effects**

### Ingestion

This product is likely to cause discomfort on swallowing and may result in gastric disturbance and soft tissue irritation. Aspiration to the lungs is likely to result in chemical pneumonitis.

### **Eye Contact**

Eye contact with this product may cause discomfort, but will be relieved with First Aid.

### **Skin Contact**

Prolonged exposure not likely to cause significant skin irritation. Components of this product are easily absorbed through the skin. Avoid overexposure.

Date of Issue: 5 May 2017 **Emergency Number: 131 126** Page 5 of 7



#### Inhalation

Vapours at elevated temperatures will cause dizziness and drowsiness. Aspiration of product will result in chemical pneumonitis and tracheal burning. Inhalation of this product is harmful resulting in loss of sensation in the extremities with prolonged exposure.

#### **Chronic Effects**

Repeated or prolonged contact with this product can result in irritant contact dermatitis if PPE precautions are not observed.

#### Other Health Effects Information

Persons with pre-existing skin and, or respiratory conditions will be sensitive to this product.

## **Toxicological Information**

Oral LD<sub>50</sub>: 917 mg/kg; TDLo (Oral, women): 7813 µL/kg

Dermal LD<sub>50</sub>: No data available

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

## **Aquatic Toxicity:**

Fish Toxicity LC<sub>50</sub>: No data available Daphnia Magna EC<sub>50</sub>: No data available Blue-green algae: No data available Green algae: No data available

Persistence/Biodegradability: Elements of this product are expected to persist.

Mobility: This product is unlikely to be mobile on release to waterways, grasslands or soils.

# 13. DISPOSAL CONSIDERATIONS

### **Disposal Methods**

Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor. Care should be taken to ensure compliance with national and local authorities. Packaging may still contain product residue that may be harmful. Ensure that empty packaging is managed in accordance with Dangerous Goods regulations.

## **Special Precautions**

This product is not suitable for disposal by either landfill or via municipal sewers, drains, natural streams or rivers. This product should be treated and disposed through chemical waste treatment, or considered for use in recycling.

# 14. TRANSPORT INFORMATION

Road and Rail Transport		Marine Transport		Air Transport	
UN No.	N/R	UN No.	N/R	UN No.	N/R
Proper Shipping Name	Paint & Paint related materials	Proper Shipping Name	Paint & Paint related materials	Proper Shipping Name	Paint & Paint related materials
DG Class	N/R	DG Class	N/R	DG Class	N/R
Sub. Risk	None	Sub. Risk	None	Sub. Risk	None
Packing Group	N/R	Packing Group	N/R	Packing Group	N/R
Hazchem	N/R	Hazchem	N/R	Hazchem	N/R

### **Dangerous Goods Segregation**

This product is not regulated for Transport via Road and Rail.

## 15. REGULATORY INFORMATION

Country/Region: Australia

Date of Issue: 5 May 2017 Emergency Number: 131 126 Page 6 of 7
Date of Review: January 2022





Inventory: AICS
Status: Listed

Poisons Schedule: 5

# 16. OTHER INFORMATION

Reasons for Issue: Upgrade to GHS SDS; amalgamated supplier and regulatory changes in all sections.

**Abbreviations:** 

AICS: Australian Inventory of Chemical Substances

CAS Number: Chemical Abstracts Number

GHS: Global Harmonised System

IARC: International Agency for Research on Cancer

PPE: Personal Protective Equipment

N/R: Non-regulated N/A: Not applicable UN: United Nations

#### References:

- Supplier Safety Data Sheets
- http://hsis.safework.gov.au/SearchHS.aspx (May 17)
- Animal toxicology data: http://chem.sis.nlm.nih.gov/chemidplus (May 17)
- Ecotoxicology data: http://cfpub.epa.gov/ecotox/quick\_query.htm (May 17)
- Sax's Dangerous Properties of Industrial Materials, Richard J Lewis Snr., pub. Canada (2005)

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the writer's knowledge. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses, but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product. For further information, please contact Con-Treat Pty Ltd.

Date of Issue: 5 May 2017 Date of Review: January 2022