

FEIN savings packs

Use our multi-packs and enjoy savings.
All promotional packs come with up to
4 free saw blades!

The complete FEIN MULTIMASTER range of accessories.

The FEIN MULTIMASTER offers attractive and ideal working results in the most diverse areas of application – from interior fitting, renovation and boatbuilding to automotive repairs. To enable you to perform any job to perfection with the FEIN MULTIMASTER, FEIN also offers an extensive range of accessories that have been specially developed for the various applications and materials.

Sawing

HSS saw blade, circular

For plastics, fibreglass, wood, putty, copper/copper alloys and sheet metal up to approx. 1 mm.



Ø mm	Savings Qty pack	Order number
63	1	6 35 02 096 02 3
63	2	6 35 02 096 01 7
63	5 4 + 1	6 35 02 096 05 0
80	1	6 35 02 097 02 7
80	2	6 35 02 097 01 1
80	5 4 + 1	6 35 02 097 05 0

HSS-segment saw blade

For plastics, fibreglass, wood, putty, copper/copper alloys and sheet metal up to approx. 1 mm. Ideal for working in corners.



Ø mm	Savings Qty pack	Order number
80	1	6 35 02 106 01 5
80	2	6 35 02 106 07 0
80	5 4 + 1	6 35 02 106 08 0

HSS saw blade, circular, stepped

For plastics, fibreglass, wood, putty, copper/copper alloys and sheet metal up to approx. 1 mm, flush to surface.



Ø mm	Qty	Order number
85	1	6 35 02 144 01 4
85	5	6 35 02 144 02 0

Segment saw blade, stepped

For soft materials only. Ideal for working in corners, flush to surface.



mm	Order number
84	6 35 02 113 01 9

Cutting paste

Lubricant for working with sheet metal.

Order number	3 21 32 020 12 9
--------------	------------------

E-CUT standard saw blade

Saws wood up to 50 mm, plasterboard and soft plastics. Enables simple dipping into the material at any point.

Length 50 mm, form 133



Width mm	Savings Qty pack	Order number
35	1	6 35 02 133 01 7
35	3 2 + 1	6 35 02 133 03 0
35	10 6 + 4	6 35 02 133 04 0

Length 50 mm, form 134



Width mm	Savings Qty pack	Order number
65	1	6 35 02 134 01 5
65	3 2 + 1	6 35 02 134 02 5
65	10 6 + 4	6 35 02 134 03 0

E-CUT precision saw blade

Maximum cutting speed and precision thanks to double-row Japan teeth. For wood up to 50 mm, plasterboard and soft plastics.

Length 50 mm, form 126



Width mm	Savings Qty pack	Order number
35	1	6 35 02 126 01 3
35	3 2 + 1	6 35 02 126 03 0
35	10 6 + 4	6 35 02 126 04 0

Length 50 mm, form 127



Width mm	Savings Qty pack	Order number
65	1	6 35 02 127 01 7
65	3 2 + 1	6 35 02 127 02 0
65	10 6 + 4	6 35 02 127 03 0

E-CUT universal saw blade

Wide range of applications thanks to bi-metal teeth. Saws wood up to 50 mm, plastics, sheet metal up to 2 mm, copper or aluminium pipes and profiles.

Length 60 mm, form 151



Width mm	Savings Qty pack	Order number
29	1	6 35 02 151 01 8
29	3 2 + 1	6 35 02 151 02 0
29	10 6 + 4	6 35 02 151 03 0

Length 60 mm, form 152



Width mm	Savings Qty pack	Order number
44	1	6 35 02 152 01 0
44	3 2 + 1	6 35 02 152 02 0
44	10 6 + 4	6 35 02 152 03 0

E-CUT-saw blade multi-pack

Consisting of 3 different E-CUT saw blades: 1 x E-CUT precision 65 mm wide, 1 x E-CUT standard 35 mm wide, 1 x E-CUT universal 44 mm wide. This way, you're perfectly equipped for any sawing job.



Order number	6 35 02 127 04 0
--------------	------------------

HSS saw blade for wood

Round HSS saw blade for wood – the "mini circular saw" is ideal for long, straight cuts and for making cut-outs in laid parquet, laminate and wall panelling.



Ø mm	Order number
100	6 35 02 154 01 0

As set version, incl. depth stop

Ø mm	Order number
100	3 26 07 065 02 0

Contact guard

Spare contact guard for HSS saw blade 6 35 02 154 01 0.

Order number	3 18 10 263 00 0
--------------	------------------

Depth stop

Suitable for all E-CUT saw blades and the HSS saw blade for wood. Only suitable for the new FEIN MULTIMASTER FMM 250/250 Q.



Order number	3 26 07 065 01 0
--------------	------------------

M-CUT saw blade

For cut-outs in fibreglass, CFRP, wood and sheet metal, from edge length of 10 mm, max. cutting depth: 45 mm (fibreglass, wood), in sheet metal approx. 1 mm, length 50 mm



Width mm	Qty	Order number
10	2	6 35 02 159 01 0

For cut-outs in fibreglass, CFRP, wood and sheet metal, from edge length of 30 mm, max. cutting depth: 45 mm (fibreglass, wood), in sheet metal approx. 1 mm, length 50 mm



Width mm	Qty	Order number
30	2	6 35 02 157 01 0

Carbide file

For deburring and filing cut-outs in fibreglass, CFRP, plastics and wood, length 50 mm



Width mm	Qty	Order number
10	2	6 37 06 017 01 0

Saw and file set

Saw and file set for making recesses in fibreglass, CFRP, wood and sheet metal. M-CUT saw blade 10 mm and 30 mm, carbide file 10 mm



Order number	6 35 02 157 02 0
--------------	------------------

MINICUT and file set

For cut-outs from 10 mm. 2 saw blades for wood and soft plastics, 2 HSS saw blades for hard plastics, fibreglass and sheet metal up to 1 mm, 1 diamond file insert, 1 carbide file insert.



Order number	6 39 01 025 06 0
--------------	------------------

MINICUT saw blade

For wood and other soft materials, immersion depth 30 mm.



Width mm	Qty	Order number
10	2	6 35 02 132 01 3
20	2	6 35 02 131 01 0

MINICUT HSS saw blade

For non-ferrous metals and plastics, immersion depth 20 mm.



Width mm	Qty	Order number
10	2	6 35 02 130 01 1
20	2	6 35 02 129 01 9

Diamond file insert

For sharpening blades and cutters



Width mm	Grit	Order number
10	Extra fine	6 37 06 014 02 6
20	Fine	6 37 06 013 02 8
20	Normal	6 37 06 012 02 4

Carbide file insert

For filing cut-outs and for deburring work. Suitable for MINICUT and file set.



Order number	6 37 06 015 01 0
--------------	------------------

Rasping

Carbide rasp, triangular

Carbide-tipped
For coarse sanding of fillers, tile adhesives, concrete, stone and wood. Suited to use with or without dust extraction.



Order number	6 37 31 001 01 4
--------------	------------------

Carbide rasp, finger-shaped

For coarse sanding of fillers, tile adhesives, concrete, stone and wood. The finger-shaped version, which is coated on both sides, is particularly well suited to artistic work.



Order number	6 37 31 002 01 7
--------------	------------------

Removing joints

Carbide segment saw blade

For removing damaged tile joints and for milling grooves in plaster, porous concrete and similar construction materials. Cutting width approx. 2.2 mm.



Ø mm	Order number
63	6 35 02 118 01 6

Carbide saw blade

Extra thin version for very narrow tile joints and for reworking deck joints. Cutting width approx. 1.3 mm.



Ø mm	Order number
63	6 35 02 125 01 0

Diamond saw blade

For cutting out marble and concrete trass joints. Produces minimal dust levels, very long service life. Cutting width approx. 2.2 mm.



Ø mm	Savings Qty pack	Order number
63	1	6 35 02 105 01 2
63	5 4 + 1	6 35 02 105 02 0

Diamond segment saw blade

For removing damaged tile joints and for milling grooves in plaster, porous concrete and similar construction materials. Long service life. Cutting width approx. 2.2 mm.



Ø mm	Savings Qty pack	Order number
63	1	6 35 02 114 01 7
63	5 4 + 1	6 35 02 114 02 0

Cleaning block

Rhombus for cleaning carbide and diamond tools.



Order number	6 37 19 007 01 0
--------------	------------------

Scraping

Rigid stopper knife

For removing stubborn old paint, adhesive residues, carpets, tile adhesives and coats of underseal.



Order number	6 39 03 178 01 7
--------------	------------------

Flexible stopper knife

For removing silicone or acrylic joints in bathrooms and labels.



Qty	Order number
2	6 39 03 165 01 3

Sanding

Sanding pad set, unperforated

For sanding without dust extraction.



Qty	Order number
2	6 38 06 129 02 6

Sanding pad set, plastic

With plastic backing plate to avoid marks.



Qty	Order number
2	6 38 06 153 02 2

Sanding pad set, flat

For very narrow openings (e.g. slats on cupboards, window shutters).



Qty	Order number
2	6 38 06 142 02 9

ACCESSORIES

Sanding sheet set

For universal use on practically all surfaces. High sanding capacity guaranteed thanks to corundum sanding grits and full bonding with artificial resins. Sanding sheets, unperforated, with hook and loop fastening, 10 of each grit (60, 80, 120, 180, 240).



Order number 6 37 17 082 03 3

Sanding sheets

Unperforated, with hook and loop fastening. For universal use on practically all surfaces.



Grit	Qty	Order number
36	5	6 37 17 086 04 8
40	5	6 37 17 081 04 6
60	5	6 37 17 082 04 9
80	5	6 37 17 083 04 3
100	5	6 37 17 084 04 1
120	5	6 37 17 085 04 5
150	5	6 37 17 087 04 2
180	5	6 37 17 088 04 0
220	5	6 37 17 089 04 4
240	5	6 37 17 090 04 6

36	50	6 37 17 086 01 0
40	50	6 37 17 081 01 8
60	50	6 37 17 082 01 1
80	50	6 37 17 083 01 5
100	50	6 37 17 084 01 3
120	50	6 37 17 085 01 7
150	50	6 37 17 087 01 4
180	50	6 37 17 088 01 2
220	50	6 37 17 089 01 6
240	50	6 37 17 090 01 8

Sanding pad, super-soft

For special areas of application such as aluminium rims and paint repairs. Only use with "Sanding sheets, super-soft".



Qty	Order number
2	6 38 06 141 02 6

Sanding sheets, super-soft


Special sanding sheets for working on aluminium rims, performing touch-up work for dust inclusions, dealing with paint runs, overspray on wood, plastic, metal etc. Can only be used in conjunction with sanding pad 6 38 06 141 02 6.



Grit	Qty	Order number
240	50	6 37 17 126 01 5
320	50	6 37 17 127 01 9
400	50	6 37 17 128 01 7
500	50	6 37 17 179 01 6

Profile sanding set

Consisting of 1 holder and 6 different profile inserts: 1 x V-shaped for 90° angle, 1 x trapezoid-shaped for tongue-and-groove connections, 1 x for straight profiles, 1 x convex form (large), 1 x concave and 1 x convex form (small) and sanding sheets, 5 of each grit (80, 120 and 180).



Order number 6 38 06 183 01 3

Sandpaper for profile sanding set

For practically all materials, e.g. wood, metal, paint and plastics.



Grit	Qty	Order number
80	25	6 37 17 217 01 6
120	25	6 37 17 218 01 4
180	25	6 37 17 219 01 8

Sanding set, stone

Can be universally used for working with stone and stone products. Consisting of: sanding sheets, 5 of each, unperforated. Grit 40, 80, 120, 220, 320, 400, 600, 800, sanding pad, 1 of each, unperforated, with aluminium and plastic backing plate, 1 felt polishing pad.



Order number 6 38 06 129 06 7

Sanding sheets, stone

Specially for working with natural and artificial stone. In 8 stages for coarse and fine sanding.



Grit	Qty	Order number
40	50	6 37 17 120 01 4
80	50	6 37 17 121 01 3
120	50	6 37 17 122 01 6
220	50	6 37 17 123 01 0
320	50	6 37 17 124 01 8
400	50	6 37 17 125 01 2
600	50	6 37 17 175 01 7
800	50	6 37 17 176 01 0

Sanding finger

For use in very narrow and deep places, in channels, grooves, openings and folds. Also in mould-making, on concave forms and in convex forms.



Height mm	Qty	Order number
7	2	6 38 06 159 02 3

Sanding sheets for sanding finger

With hook and loop fastening, fully bonded with artificial resins, high sanding capacity, corundum. Area of application: wood, metal, soldered joints, fibreglass, plastic, paint, filler and leather.



Grit	Qty	Order number
40	20	6 37 17 184 01 2
60	20	6 37 17 185 01 6
80	20	6 37 17 186 01 9
100	20	6 37 17 187 01 3
120	20	6 37 17 188 01 1
150	20	6 37 17 189 01 5
180	20	6 37 17 190 01 7
220	20	6 37 17 191 01 6
240	20	6 37 17 192 01 9

Sanding pad set, perforated

For sanding with dust extraction.



Qty	Order number
2	6 38 06 136 02 9

Sanding sheets, perforated

For sanding with dust extraction. For universal use on practically all surfaces. High sanding capacity guaranteed thanks to corundum sanding grits and full bonding with artificial resins. From grit 36 to 280.



Grit	Qty	Order number
36	5	6 37 17 107 04 9
40	5	6 37 17 108 04 7
60	5	6 37 17 109 04 1
80	5	6 37 17 110 04 3
100	5	6 37 17 111 04 2
120	5	6 37 17 112 04 5
150	5	6 37 17 113 04 9
180	5	6 37 17 114 04 7
220	5	6 37 17 115 04 1
240	5	6 37 17 116 04 4

36	50	6 37 17 107 01 1
40	50	6 37 17 108 01 9
60	50	6 37 17 109 01 3
80	50	6 37 17 110 01 5
100	50	6 37 17 111 01 4
120	50	6 37 17 112 01 7
150	50	6 37 17 113 01 1
180	50	6 37 17 114 01 9
220	50	6 37 17 115 01 3
240	50	6 37 17 116 01 6

Sanding sheet set

Sanding sheets, 10 of each, perforated, with hook and loop fastening, corundum, grit 60, 80, 120, 180, 240.



Order number 6 37 17 109 03 5

Backing pad set


For fast and cost-effective sanding of medium-sized surfaces, incl. 1 backing pad with a Ø of 115 mm, perforated. Sanding sheets, 2 of each, perforated, with hook and loop fastening, grit 60, 80, 180.



Ø mm	Order number
115	6 38 06 195 02 0

Sanding sheet set

Sanding sheets, 4 of each, with a Ø of 115 mm, perforated, with hook and loop fastening, fully bonded with artificial resins for high sanding capacity, grit 60, 80, 120, 180.



Order number 6 37 17 227 01 0

Sanding sheets

Perforated, with hook and loop fastening, fully bonded with artificial resins for high sanding capacity.



Grit	Qty	Order number
40	16	6 37 17 230 02 0
60	16	6 37 17 227 02 0
80	16	6 37 17 228 02 0
120	16	6 37 17 229 01 0
180	16	6 37 17 231 02 0
240	16	6 37 17 232 01 0

Polishing

Felt polishing pad set

For polishing up metal parts, and for polishing and decorative polishing of stone and stone products. Can also be used to work with gelcoats on boats.



Qty	Order number
2	6 38 06 140 02 7

Material-related polishing paste can be bought from qualified specialist dealers.

Felt polishing pad

Felt polishing pad for polishing boat decks (gelcoat), chrome, stainless steel, aluminium, non-ferrous metals.



Qty	Order number
5	6 37 23 032 01 0

Cleaning bristle fleece

Bristle fleece for cleaning boat decks or cleaning / polishing anti-slip structures.



Qty	Order number
2	6 37 23 031 01 0

All-purpose yacht cleaner

Cleans boat hulls and decks. Also suitable for aluminium, glass, plastics and textiles.



ml	Order number
500	6 37 26 021 01 0

Yacht polish

Easy to use, achieves brilliant shine: for fibreglass / gelcoat and painted yachts – optimum results even with dark colours.

ml	Order number
500	6 37 26 020 01 0

Carnauba wax + cleaner

High-gloss seal with long-lasting effect: antistatic, impact-resistant, shampoo-resistant. Protects your yacht like a second skin.

ml	Order number
500	6 37 26 023 01 0

Nano wax + cleaner

Hard-wearing long-term seal: antistatic, impact-resistant, shampoo-resistant. Very fine due to nanoparticles, fills in scratches, protects from the weather and UV rays.

ml	Order number
500	6 37 26 024 01 0

Cutting

Segment blade, concave

For cutting soft materials e.g. felt, leather, polystyrene.



Order number
6 39 03 193 01 8

Segment blade, convex

For cutting rigid materials, e.g. floor panels made of plastic, linoleum, rubber, cardboard, leather, wire mesh, loop-pile carpet/carpet and much more.



Order number
6 39 03 192 01 4

Cutter blade

For cutting out panelled deck joint materials safely and at speed. Also for problem areas such as cabins, rails, gunwales, cleats and curves.




Blade width mm	Order number
3	6 39 03 200 01 7
4	6 39 03 201 01 6
5	6 39 03 202 01 9

Dust extraction

Extraction set

2 sanding pads, perforated; sanding sheets, 5 of each, perforated, grit 60, 80, 120; 1 extractor hood with suction pipe; 2 hose sockets for hose connection with a Ø of 27 and 32 mm and 2 adapter for connecting to the most common household vacuum cleaners. For FEIN MULTIMASTER.



Order number
9 26 02 081 01 0

Adapter hose

For connecting the dust extraction device to the most common household vacuum cleaners. Hose connection Ø 27 mm.



Version	Order number
Thin	3 06 05 110 00 8
Thick	3 06 05 109 00 6

FEIN "DUSTEX" dust extractor

Powerful wet and dry extractor for connecting to power tools when working in the workshop and for assembly work.

- Automatic start/stop for connecting power tools up to a maximum of 2000 W
- Large range thanks to 6 m power cable and 5 m suction hose
- Soft start function for smooth operation on the construction site
- Wet and dry operation
- Suction control
- Extensive scope of supply for universal use
- The ideal addition to the FEIN MULTIMASTER

Power consumption	W	1 300
Air flow rate	l/min	3 300
Max. vacuum	mbar	230
Container volume	l	24
Max. connected rating	W	2 000
Weight	kg	7
Cable with plug	m	6



Included in price:
1 5 m suction hose, Ø 36 mm, 1 floor nozzle, 2 extension tubes, 1 crevice nozzle, 1 upholstery nozzle, 1 connecting piece, 1 universal connecting piece, 1 filter bag

Order number
9 20 22

Filter bag

Standard version, pack of 5



Order number
3 13 22 781 01 7

Extra fine version for higher levels of material separation, pack of 5

Order number
3 13 22 757 01 6

Textile long-life filter

For cost-effective use of the dust extractor. Long service life, replaces filter bag and filter cartridge.

Order number
3 13 22 812 00 0

General accessories

Table and drill jig holder

Perfect for precision cut-outs. The FEIN MULTIMASTER can be clamped to a table or workbench and the workpiece can be guided safely to the tool. It is also possible to clamp the tool in standard drill jigs with a 43 mm collar diameter – the FEIN MULTIMASTER can be delivered via the mechanism with millimetre precision. Only suitable for FEIN MULTIMASTER FMM 250/250 Q



Order number
9 26 02 083 01 0

System case, empty

Plastic case with practical inner layout, contains no tools or accessories.



Order number
3 39 01 118 03 0

System case, filled

Filled plastic case with 1 sanding pad, perforated, for dust extraction, sanding sheets, 5 of each, perforated, grit 60, 80, 120, 180, 1 dust extraction device, 2 hose sockets for suction hose with a Ø of 27/32 mm and 2 adapters for connection to the most common household vacuum cleaners, profile sanding set, 1 carbide rasp.



Order number
3 39 01 118 17 0